

How to Prepare for Your Gold Seed Procedure with a Local Anesthetic

This handout offers information on how to prepare for your gold seed procedure. You will receive a **local anesthetic** (freezing) for your procedure. You can drive yourself and eat regular meals before and after your procedure.

You will be given these appointments to prepare for your procedure.

Your appointments	Date/Time	Location	What you need to do
Teaching appointment with the nurse	Date: _____ Time: _____	You will receive a telephone call.	

On the day of your procedure

You will be in the cancer centre for 2 to 3 hours.

Your appointment	Date/Time	Location	What you need to do
Your procedure	The receptionist will call you with this appointment. Date: _____ Time: _____	cancer centre, B1 level	Come to the cancer centre 30 minutes before your appointment time.

Preparing for your procedure

Your rectum must be completely empty for this procedure. Follow all of the instructions below.

	Date/Time	What you need to do
1 week before your procedure		Buy a Fleet enema kit from your pharmacy.
The night before your procedure		Start taking the antibiotic your radiation oncologist prescribed for you. Keep taking the antibiotic as prescribed, until it is finished.
The day of your procedure	2 hours before your procedure	Take your regular medications. Take a second dose of antibiotics. Eat and drink normally.
	2 hours before you leave home for your procedure appointment	Give yourself the Fleet enema (see 'how to give yourself a Fleet Enema' on page 2).
	30 minutes before your procedure	Go to the B1 Level of the cancer centre. Check in at one of the computers. A nurse will come to the waiting room to get you.

How to give yourself a Fleet enema


1. Lie on your left side. Put your right leg over your left leg.
2. Remove the protective shield from the enema tip before inserting it.
3. Gently insert the enema tip into your rectum with a slight side-to-side movement.
4. Do not force the enema tip into your rectum. This can cause you injury.
5. Squeeze the bottle until most of the liquid is gone. The bottle may not be empty.
6. Remove the tip from your rectum.
7. Hold this position until your urge to have a bowel movement is strong. This will take about 2 to 5 minutes.
8. Wash your hands when you are done.

What to bring to your procedure appointment

- All your medications (except vitamins).
- Your Ontario Health Card (OHIP).
- Glasses (or contact lenses), hearing aids, dentures and their containers. We need you to remove all of these things for the procedure.
- A water bottle or other choice of drink/drink container and a snack for you to have after your procedure.
- A bag to put your clothes in after you change into a hospital gown.

What happens on the day of your procedure

Gold seeds allow your team to see where your prostate is each time you have a radiation treatment. The gold seeds are not radioactive. They stay in your prostate. Pictures of your pelvis (see example below) are taken before every radiation therapy treatment.



You will have your Gold Seed Procedure in the Radiation Therapy department. Your radiation oncologist places an ultrasound probe into your rectum. This allows your radiation oncologist to see your prostate. You receive an injection of local freezing to help keep you comfortable. Needles are put through your perineum (area between your scrotum and anus) and into your prostate. 3 gold seeds are placed into your prostate through the needles. The needles and the ultrasound probe are taken out after the gold seeds are put in.

What happens after your procedure

This procedure may make you feel uncomfortable. You may have some swelling of your rectal area.

Going home after your procedure

- Take acetaminophen (also called Tylenol) for mild pain or discomfort you may have. Your radiation oncologist may also give you a prescription for a stronger pain medication.
- Wrap an ice pack or bag of frozen peas in a towel. Put it on your rectal area for 20 minutes at one time. You can repeat this up to 6 times a day while you are awake. This may help lessen your discomfort or pain.
- You can still have sexual intercourse.

Go to the Emergency Department at the hospital closest to you if you:

- Have severe pain or bleeding
- Have shortness of breath
- Are not able to urinate
- Faint after your procedure
- Have a fever above 38.3° C/100.9°F at any time or above 38.0° C/100.4°F for more than an hour

Next steps in your care and treatment

The nurse will give you the information you need about your external beam radiation therapy appointments. You will be given a handout to read called [After Your Gold Seed Procedure With a Local Anesthetic](#). You can also find this handout on the Lakeridge Health website at lh.ca.

If you have a problem or concern about a symptom or side effect from your cancer treatment:

1. Call your primary nurse at the cancer centre from Monday to Friday, 8:30 am to 4 pm, (except on holidays). Use the phone number your primary nurse gave you.
2. Contact CareChart Digital Health from Monday to Friday, 5 pm to 8:30 am and anytime on weekends and holidays for symptom management support.

Talk to a nurse using one of these options:

- Call the after-hours telephone line at 1-877-681-3057.
- Request a video call by going to carechart.ca.
- Use the CareChart Digital Health App. This App is available to download for iOS or Android devices.

Call 911 or go to the Emergency Department at the hospital closest to you for a medical emergency. Talk to any member of your healthcare team if you have questions or do not understand any of the information in this handout.

Last reviewed: April 2026