

Restricted Land Use Notice

To Engage in an Activity in a Vulnerable Area for a Municipal Drinking Water Supply

Issued under Part IV the *Clean Water Act, 2006*, Section 59 (2) (a)

No Prohibition or Risk Management Plan Requirement

Property:	89 12th Line	Notice:	2026-043-N2a
	145 12th Line	Issued:	September 25, 2026
	159 12th Line	Expires:	September 25, 2027
	4818 Highway 7		

Municipality: Township of Douro-Dummer

Roll No.: 152202000600902
152202000600900
152202000603200
152202000600700

Vulnerable Area: Wellhead Protection Area for Norwood Municipal Well System

This Notice is based on information provided for an application for:

Official Plan Amendment to Designate Propert(ies) to permit aggregate extraction

1. This Notice confirms that municipal approval of the Official Plan Amendment based on the information provided in the application and supporting documents listed in Schedule "A", will not result in an activity being initiated that is a significant drinking water threat which is prohibited under Section 57, Part IV, *Clean Water Act, 2006*, (CWA) or that requires a risk management plan under Section 58, Part IV, CWA;
2. This Notice does not reflect an assessment of significant drinking water threats where the Risk Management Official is not responsible for implementing the Trent Source Protection Plan policy, including sewage and stormwater related activities, low or moderate drinking water threats or Transport Pathways (see reverse for more details);
3. This Notice is not valid for any subsequent approvals which the proposal may require under the *Planning Act, 1990*, or for any permits that may be required under the *Building Code Act, 1992*, *Conservation Authorities Act, 1990*, or other legislative or regulatory requirements; and,
4. Any change to the information submitted under the Application received nullifies this Notice, unless otherwise permitted by the Risk Management Official.

Thank you for your cooperation to protect our local sources of drinking water.

Sincerely,

Meredith Carter
Risk Management Official / Risk Management Inspector
Otonabee-Peterborough Source Protection Area
rmo@otonabeeconservation.com
T: 705-745-5791 EXTENSION: 223



File #: 2026-043 - Schedule "A"

Supporting Documents submitted include the following:


Title: Planning Report & Aggregate Resources Act Summary Statement

Prepared By: MHBC Planning Limited

Date: August 2026

Project/Sheet/Drawing #: Figure #2 Aerial Context (pg. 43)

Received on: September 23, 2026



**Figure #2
Aerial Context**

Norwood Pit Extension

Township of Douro-Dummer
County of Peterborough

Legend

- Proposed Licence Boundary
- Proposed Limit of Extraction
- Other Aggregate Resource Act Licences
- Other Lands Owned/Controlled by Drain Bros Excavating Limited
- Existing Norwood Pit
- ↔ Existing Entrance/Exit

Date	June 2026
Sources	Contains information from Geospatial Ontario
Scale - 1:12,000	
0 500 1000 2000	Meters
 PLANNING URBAN DESIGN & LANDSCAPE ARCHITECTURE	



Drinking Water Threats & Transport Pathways

The *Clean Water Act (Act)* is part of a multi-barrier approach to protecting drinking water by addressing land-based activities that can negatively impact municipal drinking water sources. It identifies two primary factors that can increase the risks to drinking water sources: Drinking Water Threats and Transport Pathways.

Drinking Water Threat (Threat)

A Threat is a land-based activity that can occur in Vulnerable Areas defined under the *CWA*. *These include* Intake Protection Zones for a surface water sources and Wellhead Protection Areas for groundwater sources. The *CWA* identifies 22 Threats and prescribes circumstances for Low, Moderate and Significant Threats.

The Trent Source Protection Plan contains policies to address *significant* Threats. The Risk Management Official implements many, not all, of these policies. The Risk Management Inspector enforces policies implemented by the Risk Management Official. There are currently no policies that apply to Low or Moderate Threats.

The Risk Management Official is required to review proposed development in Vulnerable Areas where *significant* Threats may occur. A Restricted Land Use Notice (Notice) is issued if no significant Threats are identified, or a risk management plan required by the Trent Source Protection Plan (Section 58, *CWA*) is in place. Notices are not issued if a Threat is prohibited by the Trent Source Protection Plan (Section 57, *CWA*).

Transport Pathways

A Transport Pathway is a condition of land resulting from human activity that increases the vulnerability of the raw water supply of the municipal drinking water system. The creation or modification of a Transport Pathway can negatively impact the quality and quantity of a drinking water source by disturbing the surface above the aquifer and increasing the rate or quantity of flow to the groundwater source which supplies the municipal wells or reducing the amount of time for water to flow to a municipal surface water intake pipe.

Ontario Regulation 287 /07, subsection 27(3) states that if a person applies to a municipality for approval of a proposal to engage in an activity in a WHPA or a surface water IPZ that may result in the creation of a new transport pathway or the modification of an existing transport pathway, the municipality shall notify the source protection authority and the source protection committee of the proposal and include a description of the proposal, identity of the person responsible for the proposal and a description of the approvals the person requires to engage in the proposed activity. Ontario Regulation 287/07, subsection 27(4) requires the municipality to give a copy of the notice to the person responsible for the proposal.